



CATALOGUE FOR LARGE BAND HEATER




CODE	LENGTH	TOLERANCES
LBH-1HA	10.20	± 0.30
LBH-2HA	20.20	± 0.30
LBH-3HA	30.40	± 0.35
LBH-4HA	40.40	± 0.35
LBH-5HA	50.40	± 0.40
LBH-6HA	60.30	± 0.40
LBH-8HA	80.70	± 0.40

COMMON DIMENSION FOR ALL PRODUCTS




- Dimensions tolerances which are not specified are as per DIN 40680.
- Bow allowance 0.15 mm or 0.5% of the length whichever is greater.

All dimensions are in MM



CODE	LENGTH	TOLERANCES
LBH-1HBC	10.20	±0.30
LBH-2HBC	20.20	±0.30
LBH-3HBC	30.40	±0.35
LBH-4HBC	40.40	±0.35
LBH-5HBC	50.40	±0.40
LBH-6HBC	60.30	±0.40
LBH-8HBC	80.70	±0.40




COMMON DIMENSION FOR ALL PRODUCTS



- Dimensions tolerances which are not specified are as per DIN 40680.
- Bow allowance 0.15 mm or 0.5% of the length whichever is greater.




All dimensions are in MM

CATALOGUE FOR BOBBIN






SECTION A-A

BOBBIN Ø46MM



SECTION B-B

BOBBIN Ø36MM




SECTION C-C

BOBBIN Ø47MM


CATALOGUE FOR RESISTOR TUBE

STANDARD PRODUCTS

Material	ODØ ±2%	IDØ ±0.020"	L ±0.020"
C-410	0.562"	0.312"	4.00"
C-410	0.750"	0.500"	6.50"
C-410	0.937"	0.562"	11.00"
C-410	1.125"	0.750"	10.50"



SECTION A-A




All dimensions are in inch


CATALOGUE FOR ROUND BARREL

STANDARD PRODUCTS

AMPS	OD $\varnothing \pm 0.05$	OD1 $\varnothing \pm 0.5$	L ± 0.5
15 A	12.70	6.50	30.00
30 A	20.50	10.50	49.00
60 A	24.00	12.50	49.00
100 A	30.75	17.50	48.50
200 A	36.80	23.50	61.50



SECTION C-C




All dimensions are in MM

STEATITE END SEALING BUSH

STANDARD PRODUCTS

PRODUCT	ØA	ØB	ØC	H	H1	H2
ESB : 7	8.00	3.80	5.30	7.75	5.75	2.00
ESB ; 16(3)	8.30	3.20	6.40	11.00	6.50	4.50
ESB : 159	6.25	2.85	5.00	8.00	4.30	3.70



All dimensions are in MM